



2017 – 2018 PLANT PRICE LIST
PLEASE DOWNLOAD AND RE-OPEN BEFORE COMPLETING

YOUR FULL NAME FOR ORDER:

- ☼ The Nursery is open Monday and Thursday 8.30am – 4.30pm or otherwise by appointment.
- ☼ All our plants are grown from locally collected seed. We aim to match our seed collection to your plant order.
- ☼ Most of our stock is grown in 3cm forestry tubes.
- ☼ **Please order by January 2018** to enable us to source appropriate seed. Some species are slow to grow or may fail to germinate, a minimum of 5 months may be required to produce your order.
- ☼ We can assist in compiling your species list if required. A fee may apply to cover additional time.
- ☼ A 20% deposit is required to confirm your order. Payment on collection of plants can be made by cash, direct debit or cheque.
- ☼ Plants will be ready autumn 2017 onwards. You will be notified when plants are ready for collection.

| Plant Costs | |
|--------------------------------------|--------|
| SEED GROWN PLANTS | |
| 100 plants | \$2.50 |
| 100 to 300 plants | \$2.00 |
| 300 plants | \$1.50 |
| CUTTING GROWN and RARE PLANTS | |
| per plant | \$3.00 |
| ** denotes | |

- ☼ Some grass and sedge species are available in either tubes or hyko trays.
Hyko trays are \$40 and consist of 40 plants/tray.
- ☼ A variety of Australian native plants suited to local gardens are available including advanced trees and shrubs, please enquire or come in for a look.
- ☼ Coreflute guards, hardwood stakes and weed mats can be purchased from the nursery.



Orders can be made via online, email or post
 2018 order form and online orders: www.euroaarboretum.com.au

Email: nursery@euroaarboretum.com.au
 Postal Address: PO Box 77, Euroa 3666
 Phone: 0429 127 399

TREES

| Number Request | Latin Name | Common Name | Comments |
|----------------|--|-------------------------|---|
| | <i>Acacia dealbata</i> | Silver Wattle | Fast growing, excellent for habitat and erosion control. Suckers. |
| | <i>Acacia implexa</i> | Lightwood Wattle | Tough and long lived. Good for shade, shelter and gully erosion. |
| | <i>Acacia mearnsii</i> | Black Wattle | Excellent habitat. Fast growing. Can sucker after disturbance. |
| | <i>Acacia melanoxylon</i> | Blackwood Wattle | Useful in riparian plantings. Wind/fire breaks and erosion control. |
| | <i>Allocasuarina leuhmannii</i> | Buloke | Long lived and nitrogen fixing. Sensitive to fire and grazing damage. |
| | <i>Allocasuarina littoralis</i> | Black She-oak | Long lived. Good for habitat and shelterbelts. |
| | <i>Allocasuarina verticillata</i> | Drooping She-oak | Long lived. Tolerates strong winds. Good for habitat and shelterbelts. |
| | ** <i>Banksia marginata</i> | Silver Banksia | Large shrub or small tree for shelter and habitat. Good nectar producer. |
| | ** <i>Brachychiton populneus</i> | Kurrajong | Cylindrical or slightly bulbous trunk and dense crown. Found scattered on the northern plains. |
| | <i>Callitris glaucophylla</i> | White Cypress-pine | Straight trunked tree found in woodlands, or granitic outcrops. Slow growing, termite resistant wood. |
| | <i>Eucalyptus albens</i> | White Box | Tough, attractive shade and shelterbelt tree with blue foliage. Good habitat. |
| | <i>Eucalyptus behriana</i> | Bull Mallee | Hardy, multi stemmed small tree to 12m high. |
| | <i>Eucalyptus blakelyi</i> | Blakely's Red Gum | Medium sized tree, locally common on woodlands. |
| | <i>Eucalyptus camaldulensis</i> | River Red Gum | Large spreading tree for shade, habitat, stream and gully erosion. |
| | <i>Eucalyptus camphora</i> | Mountain Swamp Gum | Useful for gully erosion and boggy areas. Good habitat. |
| | <i>Eucalyptus dives</i> | Broad-leaved Peppermint | Good shade and habitat tree. Useful in shelterbelts. |
| | <i>Eucalyptus globulus ssp. bicostata</i> | Blue Gum | Quick growing large tree for shade, shelter and habitat. |
| | <i>Eucalyptus goniocalyx</i> | Long Leaf Box | For shade, shelter and general habitat planting. |
| | <i>Eucalyptus leucoxylon ssp. pruinosa</i> | Yellow Gum | Varies from small to medium tree (up to 25m), smooth bark with long flowering period. |
| | <i>Eucalyptus macrorhyncha</i> | Red Stringybark | Good revegetation tree, hardy. Keep fenced from stock. |
| | <i>Eucalyptus melliodora</i> | Yellow Box | Attractive. Variable in form. Habitat, shade and soil stabilisation values. |
| | <i>Eucalyptus microcarpa</i> | Grey Box | Long lived. Good for habitat, gully erosion and shelter. |
| | <i>Eucalyptus obliqua</i> | Messmate | Habitat and shelterbelts. Regenerates readily after fire. |
| | <i>Eucalyptus ovata</i> | Swamp Gum | Plant on creek flats and swampy areas. Good habitat. |

TREES - continued

| | | | |
|--|--------------------------------|--------------------------|--|
| | <i>Eucalyptus pauciflora</i> | Snow Gum | Generally occurring above 1000m. Often a crooked, branching trunk, with smooth white and grey bark. |
| | <i>Eucalyptus polyanthemos</i> | Red Box | Hardy. Useful for shade, shelter and habitat. Medium size tree with blue foliage. |
| | <i>Eucalyptus polybractea</i> | Blue Mallee | Multi-stemmed small tree with blue grey foliage. Commonly known for its eucalyptus essential oil. |
| | <i>Eucalyptus radiata</i> | Narrow-leaved Peppermint | Attractive upright tree for shelterbelts and habitat areas. |
| | <i>Eucalyptus rubida</i> | Candlebark | Excellent habitat tree with hollows. Attractive white/grey/pink bark. |
| | <i>Eucalyptus tricarpa</i> | Red Ironbark | Hardy, medium sized tree with deeply fissured black bark. Long flowering period. |
| | <i>Eucalyptus viminalis</i> | Manna Gum | Excellent habitat. Bark sheds in ribbons. |
| | <i>Eucalyptus viridis</i> | Green Mallee | Small tree to 8m. Rough bark at base with smooth trunk and branches. Compact crown of shiny green leaves. Hardy. |
| | TOTAL TREE ORDER | | |

UNDERSTOREY SHRUBS

| Number Request | Latin Name | Common Name | Comments |
|----------------|-------------------------------|----------------------|--|
| | <i>Acacia acinacea</i> | Gold Dust Wattle | Good habitat and low screen. Responds to browsing. Self seeds. |
| | <i>Acacia aspera</i> | Rough Wattle | Medium shrub with hairy leaves and pods. |
| | <i>Acacia flexifolia</i> | Bent-leaf Wattle | Fairly dense, round, small shrub. Isolated populations in Victoria. |
| | <i>Acacia genistifolia</i> | Spreading Wattle | Fast growing. Open, spreading and prickly. Good bird refuge. |
| | <i>Acacia gunnii</i> | Ploughshare Wattle | Small, rare wattle. May occur as a ground cover or small shrub. |
| | <i>Acacia lanigera</i> | Woolly Wattle | Low shelterbelt cover. Early flowering – provides colour in winter. |
| | <i>Acacia leprosa</i> | Cinnamon Wattle | Variable. Fast growing. Good for habitat and shelterbelts. |
| | <i>Acacia mitchelli</i> | Mitchell's Wattle | Silver coloured wattle, occurring as a low shrub or ground cover. Locally rare. |
| | <i>Acacia montana</i> | Mallee Wattle | Dense, rounded, rather sticky green shrub. Mostly found in mallee scrub and box ironbark forest. |
| | <i>Acacia paradoxa</i> | Hedge Wattle | Prickly. Good for bird habitat and shelterbelts. |
| | <i>Acacia penninervis</i> | Hickory Wattle | Densely foliated shrub. Isolated population in the Strathbogie Ranges. |
| | <i>Acacia pravissima</i> | Ovens Wattle | Shrub or small tree found near streams or damp sheltered sites. |
| | <i>Acacia pycnantha</i> | Golden Wattle | Fast growing. Short lived. Readily self seeds. |
| | <i>Acacia rubida</i> | Red Stem Wattle | Shelterbelt shrub for hills and mountain areas. Soil binder. |
| | <i>Acacia verniciflua</i> | Varnish Wattle | Attractive shrub for shelter, erosion control and habitat. |
| | <i>Bursaria spinosa</i> | Sweet Bursaria | Hardy and adaptable. Prickly. Habitat for birds and butterflies. |
| | <i>Callistemon sieberi</i> | River Bottlebrush | Hardy streamside shrub. Stabilises banks. Good habitat. |
| | ** <i>Calytrix tetragona</i> | Fringe Myrtle | Erect to spreading shrub 0.5 to 2m. Small aromatic leaves with white to pink flowers. Hardy. |
| | <i>Cassinia aculeata</i> | Common Cassinia | Fast growing pioneer species. Colonises bare ground. Good shelter and habitat. |
| | <i>Cassinia arcuata</i> | Drooping Cassinia | Graceful, easily grown shrub. Readily colonises disturbed areas. |
| | <i>Cassinia longifolia</i> | Shiny Cassinia | Fast growing. Easily established shrub for bare ground, shelter and habitat. |
| | <i>Cassinia ozothamnoides</i> | Cottony Haeckeria | Small shrub with curry smelling leaves. Profuse and conspicuous flowerheads. |
| | ** <i>Coprosma quadrifida</i> | Prickly Currant-bush | Upright shrub 2-4m. Small olive green leaves with small red berries. Prefers semi-shaded position in moist soil. |

UNDERSTOREY SHRUBS - continued

| | | | |
|--|---|--------------------------|--|
| | **Correa glabra | Rock Correa | Dense medium sized shrub. Prefers well drained soils, full sun to part shade. Green or red bell shaped flowers. |
| | **Correa lawrenciana | Mountain Correa | Tall shrub found in taller forests. Bears yellow-green flowers. Honeyeater food source. |
| | **Correa reflexa | Common Correa | Medium sized shrub – excellent for dry, shady sites. Nectar source for honeyeaters. |
| | <i>Daviesia benthamii</i> | Spiny Bitter Pea | Dense small shrub with yellow-brown flowers. |
| | <i>Daviesia latifolia</i> | Hop Bitter Pea | Interesting foliage and flowers. Plant in clumps. Good habitat and shelter. |
| | <i>Daviesia leptophylla</i> | Narrow Leaved Bitter Pea | Useful in habitat and shelter plantings. Plant in clumps. |
| | <i>Daviesia ulicifolia</i> | Gorse Bitter Pea | Prickly. Good bird habitat. Attractive pea flowers. |
| | <i>Dillwynia cinerascens</i> | Grey Parrot Pea | Low attractive shrub for understorey plantings on drier sites. |
| | <i>Dillwynia juniperina</i> | Prickly Parrot Pea | Prickly shrub of 1 – 2 metres. Small yellow and red flowers clustered at the end of branches. |
| | <i>Dillwynia sericea</i> | Showy Parrot Pea | Good understorey plant. Does well under established trees. Showy flowers. |
| | <i>Dodonaea boroniifolia</i> | Fern-leaf Hop Bush | Spreading, dense shrub. Useful as a low windbreak and very decorative. |
| | <i>Dodonaea viscosa ssp. angustissima</i> | Slender Hop Bush | Excellent habitat for insects and small birds. |
| | <i>Dodonaea viscosa ssp. cuneata</i> | Wedge leaf Hop Bush | Erect shrub to 2m. Excellent habitat, ornamental, good low windbreak. |
| | <i>Eutaxia diffusa</i> | Spreading Eutaxia | Variable shrub to 1.5m. Yellow and purple flowers. |
| | <i>Eutaxia microphylla</i> | Common Eutaxia | Heath like shrub to 1m. Profuse yellow and red flowers. Good habitat. |
| | <i>Gompholobium huegelii</i> | Common Wedge-pea | Erect or spreading shrub to 1m. Found naturally in dry sandy to gravelly soils. Pale to bright yellow flowers. |
| | **Grevillea alpina | Cat's Claw Grevillea | Variable small shrub with attractive red and yellow flowers. Excellent habitat. |
| | <i>Indigofera australis</i> | Austral Indigo | Attractive mauve flowers. Good habitat. |
| | <i>Kunzea parvifolia</i> | Violet Kunzea | Erect shrub to 1.5m. Slender wiry reddish branches with small leaves. Pink to purple flowers. Prefers moist soils. |
| | <i>Leptospermum continentale</i> | Prickly Tea Tree | Likes swampy sites. Excellent plant for habitat and erosion control. |
| | <i>Leptospermum lanigerum</i> | Woolly Tea Tree | Excellent for habitat, stream and gully erosion. Requires very wet sites. |
| | <i>Leptospermum obovatum</i> | River Tea Tree | Excellent for habitat, stream and gully erosion. Requires very wet sites. |

UNDERSTOREY SHRUBS - continued

| | | | |
|--|---|---------------------------|---|
| | <i>Melaleuca parvistaminea</i> | Rough-barked Honey-myrtle | Valuable for riparian habitat. Controls gully erosion. Can form thickets. |
| | <i>Melicytus dentatus</i> | Tree Violet | Hardy. Useful for habitat and erosion control. Strong floral perfume. |
| | <i>Mirbelia oxylobioides</i> | Mountain Mirbelia | Spreading, open branched shrub with small leaves. Bright orange/red flowers. Important understorey species. |
| | ** <i>Olearia argophylla</i> | Musk Daisy Bush | Fast growing large shrub with profuse flowers in Spring. Requires sheltered site on deep soils. |
| | <i>Olearia lirata</i> | Snow Daisy Bush | Soft open shrub to 4m. Requires sheltered site on deep soils. |
| | <i>Olearia phloggopappa</i> | Dusty Daisy Bush | Spreading shrub to 2m. Leaves green above and greyish-white underneath. White flowers. Requires moist soils. |
| | <i>Ozothamnus obcordatus</i> | Grey Everlasting | An erect slender shrub with shiny foliage. Hardy. For shelter and habitat. |
| | ** <i>Pimelea axiflora</i> | Bootlace Bush | Shrub to 3m. Opposite narrow leaves, white flowers. Prefers high rainfall moist conditions. |
| | ** <i>Pimelea humilis</i> | Common Rice-flower | Small erect shrub to 0.5m. Creamy white clusters of flowers. Widespread and hardy. |
| | <i>Pittosporum angustifolium</i> | Weeping Pittosporum | Shrub to small tree (10m). Drooping branches with orange fruit and cream flowers. Prefers sandy well drained soils. |
| | <i>Pomaderris aspera</i> | Hazel Pomaderris | Large shrub or small tree for stream sides and sheltered, moist sites. |
| | <i>Pomaderris prunifolia</i> | Prunus Pomaderris | Shrub occurring on rocky sites not far from watercourses. Requires well drained soils and semi shade. |
| | <i>Prostanthera lasianthos</i> | Victorian Christmas Bush | Attractive large shrub for stream sides and moist gullies. |
| | <i>Pultenaea daphnoides</i> | Large Leaf Bush Pea | Hardy. Useful for shelterbelts and general understorey planting. |
| | <i>Pultenaea humilis</i> | Dwarf Bush Pea | Erect to prostrate shrub to 0.2-0.8m. Soft hairy foliage with yellow and red pea flowers. |
| | <i>Pultenaea largiflorens</i> | Twiggy Bush Pea | Orange red pea flowers. An important component of understorey. Excellent habitat and nitrogen fixing. |
| | <i>Pultenaea laxiflora</i> | Loose Flower Bush Pea | Low spreading shrub – often prostrate. Orange and red pea flowers. |
| | <i>Pultenaea pedunculata</i> | Matted Bush-pea | Prostrate, mat forming shrub. Showy yellow pea flowers. |
| | <i>Pultenaea procumbens</i> | Heathy Bush-pea | Small shrub up to 1m. Orange and red pea flowers. Hardy. |
| | <i>Pultenaea williamsonii</i> | Highland Bush-pea | Low growing, spreading shrub, often prostrate. |
| | <i>Senna artemisioides</i> subsp. <i>zygophylla</i> | Narrow Leaf Desert Cassia | Hardy shrub 1 – 3 metres high. Fast growing and short lived. Golden yellow flowers |
| | <i>Viminaria juncea</i> | Golden Spray | Erect shrub to small tree. Tolerates water-logging. Fast growing. Long drooping yellow sprays. |
| | TOTAL UNDERSTOREY SHRUBS ORDER | | |

GROUNDCOVERS & CLIMBERS

| Number Request | Latin Name | Common Name | Comments |
|--|---|----------------------------------|--|
| | <i>Acacia aculeatissima</i> | Thin Leaf Wattle | Hardy prostrate or low sprawling shrub. |
| | ** <i>Billardiera scandens</i> | Common Apple-berry | Shrubby climber or scrambler. Cream to greenish-yellow tubular flowers later becoming green fleshy fruits, both beneficial for birds. |
| | <i>Bossiaea prostrata</i> | Creeping Bossiaea | Fine, delicate prostrate pea with yellow and red pea flowers. Nitrogen fixing. |
| | <i>Chenopodium desertorum</i> <i>ssp. microphyllum</i> | Frosted Goosefoot | Small shrub about 30cm high. Useful forage plant which is moderately acceptable to stock. |
| | <i>Clematis aristata</i> | Mountain Clematis | Vigorous woody climber to 6m high. Prolific white attractive flowers. Prefers moist or sheltered sites. |
| | <i>Clematis microphylla</i> | Small-leaved Clematis | Woody, twining climber to 5m high. Cream flowers with showy 'fluffy' seedheads. Dry sandy sites. |
| | <i>Einadia hastata</i> | Saloop | Neat, rounded, perennial small shrub. Relatively palatable forage for stock. Food plant for caterpillars. Salt tolerant. Hardy. |
| | <i>Einadia nutans</i> | Nodding Saltbush | Herbaceous perennial with trailing branches. Palatable forage plant. Salinity tolerant. Food plant for caterpillars. Hardy. |
| | <i>Enchylaena tomentosa</i> | Ruby Saltbush | Prostrate, spreading or erect shrub to 1.5m. Green to bluish, hairy, succulent leaves with bright pink edible berries. Hardy. |
| | <i>Glycine clandestina</i> | Twining Glycine | Slender, light climber. Hardy once established. |
| | <i>Glycine tabacina</i> | Variable Glycine | Small, delicate scrambler or climber. Blue to mauve flowers. Good habitat for butterfly caterpillars. Nitrogen fixing. |
| | <i>Hardenbergia violacea</i> | Happy Wanderer, Purple Coral Pea | Climbing or prostrate scrambler. Showy purple pea flowers. Good habitat. |
| | <i>Kennedia prostrata</i> | Running Postman | Trailing or matted perennial. Scarlet pea flowers. Good habitat. |
| | <i>Platylobium formosum</i> | Handsome Flat-Pea | Trailing, prostrate, scrambling shrub with yellow and red flowers. Likes shade, fertile soils. Good habitat and nitrogen fixing. |
| | <i>Platylobium montanum</i> | Mountain Flat-Pea | Trailing, prostrate, scrambling shrub. Likes shade, high rainfall sites. Good habitat and nitrogen fixing. |
| | ** <i>Templetonia stenophylla</i> | Leafy Templetonia | Small, straggling shrub with small cream flowers. Nitrogen fixing. |
| | ** <i>Tetradthea ciliata</i> | Pink-bells | Slender clumping shrub to 1m. Attractive deep pink-lilac flowers. Moist to dryish soils, full sun to part shade. |
| | ** <i>Veronica plebeia</i> | Trailing Speedwell | Creeping perennial herb, rooting at leaf nodes. Small violet flowers. Well drained soils, hardy. |
| | ** <i>Veronica perfoliata</i> | Diggers Speedwell | Low growing shrub with an arching habit, grows to 0.3 – 1m in height. Pale grey foliage with attractive sprays of pale mauve flowers. Hardy. |
| TOTAL GROUNDCOVERS & CLIMBERS ORDER | | | |

WILDFLOWERS, HERBS & LILIES

| Number Request | Latin Name | Common Name | Comments |
|----------------|------------------------------------|------------------------|--|
| | <i>**Ajuga australis</i> | Austral Bugle | Small herb with rosette leaves. Blue violet flowering stem. |
| | <i>Arthropodium fimbriatum</i> | Nodding Chocolate-lily | Tufted perennial herb with mauve or purple fragrant flowers. Plant in groups. |
| | <i>Arthropodium minus</i> | Small Vanilla-lily | Tufted perennial herb. Plant in groups. |
| | <i>Arthropodium strictum</i> | Chocolate Lily | Tufted perennial herb. Attractive flowers on long stems. |
| | <i>Brachyscome basaltica</i> | Swamp Daisy | Perennial herb with white flowers. Grows well in damp positions. Butterfly food. |
| | <i>Brunonia australis</i> | Blue Pincushion | Perennial herb with a small rosette of soft leaves. Striking deep blue pincushion shaped flowers. |
| | <i>Bulbine bulbosa</i> | Bulbine Lily | Tufted succulent perennial herb. Bright yellow flowers growing along main stalk. Plant in groups – will spread. Common and widespread. |
| | <i>Bulbine glauca</i> | Rock Lily | Tufted succulent perennial herb. Bright yellow flowers growing along main stalk. Plant in groups – will spread. Grows on rocky granitic sites. |
| | <i>Burchardia umbellata</i> | Early Nancy | Tufted succulent perennial herb. White with a dark brown line. Plant in groups. |
| | <i>Calocephalus citreus</i> | Lemon Beauty-heads | Erect perennial daisy. Long, bright yellow flower heads. |
| | <i>Chieranthera cyanea</i> | Blue Finger Flower | Small shrub with deep blue flowers. |
| | <i>Chrysocephalum apiculatum</i> | Common Everlasting | Variable, dense spreading, perennial herb. Long flowering. Soil binder. |
| | <i>Chrysocephalum semipapposum</i> | Clustered Everlasting | Variable in form. Long flowering with yellow flower clusters. |
| | <i>Convolvulus erubescens</i> | Pink Bindweed | Perennial with trailing or twining stems. Pink flowers through Spring and summer. |
| | <i>Coronidium scorpioides</i> | Button Everlasting | Woolly perennial herb with yellow flowers. Spreads easily. |
| | <i>Craspedia variabilis</i> | Billy Buttons | Erect herb with golden yellow flowers in globular heads. |
| | <i>Desmodium varians</i> | Slender Tick-trefoil | Perennial creeper – nitrogen fixing. |
| | <i>Dianella admixta</i> | Black-anther Flax-lily | Tufted perennial herb to 1m, forming mats with fibrous roots. Dark blue or violet flowers with black anthers. |
| | <i>Dianella longifolia</i> | Pale Flax-lily | Tufted perennial herb to 1m. Dark blue flowers on tall stems. |
| | <i>Dianella tasmanica</i> | Tasman Flax-lily | Robust tufting perennial with broad strap leaves. Prefers moist, shady sites. |
| | <i>Eryngium ovinum</i> | Blue Devil | Erect perennial herb with showy, metallic blue-purple flowers, surrounded by spiny bracts. |
| | <i>Isotoma axillaris</i> | Rock Isotome | Small, bushy perennial herb. Showy star-shaped flowers. |
| | <i>Leptohynchos squamatus</i> | Scaly Buttons | Small, perennial herb, often with hairy stems. Small, yellow button flowers. |

WILDFLOWERS, HERBS & LILIES - continued

| | | | |
|--|--|-------------------------|--|
| | <i>Leucochrysum albicans</i> | Hoary Sunray | Small everlasting yellow flower. Very pretty. Flowers early in Spring. |
| | <i>Linum marginale</i> | Native Flax | Slender, low upright perennial with blue flowers. Plant several together. |
| | <i>Microseris scapigera</i> | Yam Daisy | Dandelion looking plant. Major food source for Aboriginals. |
| | <i>Minuria leptophylla</i> | Minnie Daisy | Perennial herb to 0.5m, with white daisy flowers. Well drained soils, hardy. |
| | <i>Pelargonium australe</i> | Austral Stork's Bill | Clump forming perennial herb, may die back in hot weather. White/pink flowers with purple markings |
| | <i>Pycnosaurus globosus</i> | Drumsticks | Erect, perennial herb with long, woolly flowering stems. Flowers are a bright yellow, globular head. |
| | <i>Rhodanthe anthemoides</i> | Chamomile Sunray | Erect bushy herb with white paper daisy flowers. Prefers sandy, well drained soils. |
| | <i>Rhodanthe corymbiflora</i> | Paper Sunray | Erect, annual herb with grey foliage. White paper daisy flowers. Prefers well drained, moist soils. |
| | <i>Stylidium graminifolium</i> | Grass Trigger Flower | Tufted perennial with narrow leaves and spikes of pink flowers. Plant in clumps. |
| | ** <i>Stypandra glauca</i> | Nodding Blue Lily | Tufted or shrubby perennial herb found in forest and woodland. Bright blue flowers. |
| | <i>Velleia paradoxa</i> | Spur Velleia | Short-lived perennial herb with a rosette of leaves and open heads of yellow flowers. |
| | <i>Vittadinia cuneata</i> | Fuzzy New Holland Daisy | Woody, annual or perennial herb with mauve flowers. Widespread in dry areas, hardy. |
| | <i>Wahlenbergia stricta</i> | Tall Bluebell | Widespread, perennial tufted herb. Blue flowers mostly between Oct – Jan. |
| | <i>Xerochrysum viscosum</i> | Sticky Everlasting | Showy, long lasting yellow flowers. Good for butterflies. Regenerates after fire. Hardy. |
| | TOTAL WILDFLOWERS, HERBS & LILIES ORDER | | |

GRASSES

| Number Request | Latin Name | Common Name | Comments |
|----------------|---|--------------------------|---|
| | <i>Aristida behriana</i> | Brush Wire-grass | Tufted perennial found in drier areas. Seeds have three awns. |
| | <i>Aristida ramosa</i> | Purple Wire-grass | Tufted perennial preferring drier, rocky sites. Seeds have three awns. |
| | <i>Austrostipa densiflora</i> | Dense Spear Grass | Coarsely tufted perennial grass up to 1m high. Good habitat. Sharp awns. |
| | <i>Austrostipa elegantissima</i> | Feather Spear Grass | Coarsely tufted perennial grass up to 1m high. Good habitat. Sharp awns |
| | <i>Dichelachne hirtella</i> | Plume Grass | Erect flowerhead with thickly packed spikelets. Found in dry, often rocky country. |
| | <i>Elymus scaber</i> | Common Wheat Grass | Loosely tufted perennial grass. High forage value. Food plant for caterpillars of native butterflies and moths. |
| | <i>Lomandra filiformis</i> | Wattle Mat Rush | Hardy, low tufting perennial. Often persists in rough paddocks. |
| | <i>Lomandra longifolia</i> | Spiny Headed Mat Rush | Tough, large tussocky perennial. Good habitat for ground fauna. Prefers moist sites. |
| | <i>Microleana stipoides</i> | Weeping Grass | Tufted, slender perennial grass. Green all year. Great low maintenance native lawn. |
| | <i>Poa labillardieri</i> | Common Tussock Grass | Widespread along creek banks and alluvial flats. Tussocks are up to 1m in size. |
| | <i>Poa sieberiana</i> | Grey Tussock Grass | Widespread in a variety of habitats. Useful habitat for small birds and reptiles. |
| | <i>Rytidosperma caespitosum</i> | Common Wallaby Grass | Tufted perennial grass with fine leaves and fluffy seedheads. Important component of native pastures. |
| | <i>Rytidosperma pallidum</i> , (formerly known as <i>Joycea palliada</i>) | Red Anther Wallaby Grass | Robust, coarse, perennial tussock. Attractive red anther flowers. Prefers part shade, hardy once established. |
| | <i>Themeda triandra</i> | Kangaroo Grass | Tufted, perennial, deep rooted grass often tipped red. Moderate forage value. Useful 'green pick' during summer after rain. |
| | TOTAL GRASSES ORDER | | |

AQUATIC PLANTS & SEDGES

| Number Request | Latin Name | Common Name | Comments |
|----------------|---------------------------------|----------------------------|--|
| | <i>Alisma plantago-aquatica</i> | Common Water Plantain | Perennial herb with large leaves to 0.5m. Small white flowers on spike up to 1.2m. Grows in shallow water, can die back in cooler months. |
| | <i>Amphibromus nervosus</i> | Common Swamp Wallaby Grass | Tufted perennial grass with a graceful weeping habit, up to 1.2m. Ideal around dams and swamps.. |
| | <i>Carex appressa</i> | Tall Sedge | Perennial bright green tufted plant to 1m with flowers spikes up to 1.2m. Prefers boggy conditions all year around. Use for erosion control. |

AQUATIC PLANTS & SEDGES - continued

| | | | |
|--|--|-----------------------|---|
| | <i>Carex fascicularis</i> | Tassel Sedge | Perennial bright green tufted plant with attractive fluffy seed heads to 1m. Prefers wet conditions all year round. |
| | <i>Carex inversa</i> | Knob Sedge | Perennial, dense tufting habit to 0.2m. Tolerates full sun, inundation and periodic dry periods. |
| | <i>Carex tereticaulis</i> | Rush Sedge | Perennial green tufted plant to 0.6m with flower spikes to 1.2m. Use for erosion control, prefers seasonally inundated wet conditions. |
| | <i>Cyperus exaltatus</i> | Flat Sedge | Robust, tussock sedge. Useful plant around wetlands and dams. |
| | <i>Lomandra longifolia</i> | Spiny Headed Mat Rush | Tough, large tussocky perennial. Good habitat for ground fauna. Prefers moist sites. |
| | <i>Lythrum salicaria</i> | Purple Loosestrife | Annual shrub with purple – pink flowers. Likes damp or flooded sites. |
| | <i>Myrophyllum sp.</i> | Milfoil | Small emergent wetland herb with feathery stems. Grows well in among wetland rushes, requires shallow seasonal water. |
| | <i>Persicaria hydropiper</i> | Water Pepper | Slender, annual herb to 1 metre. Common in damp spots, along creek banks and rivers. |
| | <i>Phragmites australis</i> | Common Reed | Semi-aquatic, bamboo-like perennial grass up to 4m high. Prefers fresh or brackish water up to 2m depth. Excellent for erosion control. |
| | <i>Poa labillardieri</i> | Common Tussock Grass | Widespread along creek banks and alluvial flats. Tussocks are up to 1m in size. |
| | <i>Triglochin procerum</i> | Water Ribbons | Long strappy leaves emerging from the water. Green flower spikes up to 70cm tall but often a lot smaller. Requires seasonal water. |
| | TOTAL AQUATIC PLANTS & SEDGES ORDER | | |

ACCESSORIES

| Number Request | Product | Price |
|----------------|------------------------------|--------|
| | | |
| | Coreflute guards | \$1.80 |
| | Hardwood stakes | \$0.55 |
| | Weedmat | \$0.65 |
| | TOTAL ACCESSORY ORDER | |